

February 28, 2009

HIV/AIDS REPORTING FOR SALT LAKE VALLEY HEALTH DEPARTMENT

	CUMULATIVE ¹			
TRANSMISSION CATEGORIES ²	AIDS Cases	%	HIV Positive	
ADULTS				
Men Having Sex with Men	1,116	62%	439	57%
Injecting Drug Users (IDU)	304	17%	81	11%
Men Sex w/Men/IDU	181	10%	93	12%
Hemophilia	26	1%	1	0%
Heterosexual Contact	96	5%	63	8%
Transfusion	11	1%	2	0%
Other/Undetermined ³	58	3%	89	12%
Subtotal	1,792	100%	768	100%
CHILDREN UNDER 13 YEARS				
Mother at Risk/Perinatal transmission	9	82%	8	100%
Hemophilia	0	0%	0	0%
Transfusion/Tissue	2	18%	0	0%
Other/Undetermined	0	0%	0	0%
Subtotal	11	100%	8	100%
TOTAL ADULTS & CHILDREN	1,803		776 ⁴	
DEATHS	869	48%	29	4%

AGE DISTRIBUTION

	CUMULATIVE			
TRANSMISSION CATEGORIES	AIDS Cases	%	HIV Positive	%
Under 13	10	1%	8	1%
13-19	11	1%	24	3%
20-29	342	19%	279	36%
30-39	829	46%	286	37%
40-49	463	26%	124	16%
Over 49	148	8%	55	7%
TOTAL	1,803	100%	776 ⁴	100%

GENDER DISTRIBUTION

	CUMULATIVE			
GENDER	AIDS Cases	%	HIV Positive	%
Male	1,611	89%	646	83%
Female	192	11%	130	17%
TOTAL	1,803	100%	776 ⁴	100%

SALT LAKE VALLEY HEALTH DEPARTMENT

RACIAL DISTRIBUTION

Race	AIDS Cases	%	HIV Positive	%
White	1,389	77%	545	70%
Hispanic	239	13%	130	17%
Black	140	8%	80	10%
Am Ind/Al Nat	18	1%	5	1%
Asian/PI	17	1%	10	1%
Unknown	0	0%	6	1%
Total	1,803	100%	776⁴	100%

REPORTED HIV/AIDS

Year Reported	HIV Infections	AIDS Cases	AIDS Deaths by Year
1983-1998	260	1171	654
1999	22	105	36
2000	30	107	26
2001	22	85	17
2002	31	46	19
2003	55	50	21
2004	62	54	21
2005	68	43	29
2006	69	38	22
2007	68	43	13
2008	72	48	11
2009	17	13	0
Total	776⁴	1803	869

¹ AIDS cases reported for SLVHD from 1983 through February 28, 2009. HIV injections reported for SLVHD from May 31, 1989 through January 31, 2009. HIV statistics do not include persons tested anonymously.

² Cases with more than one risk factor are tabulated only in the category listed first.

³ **"Undetermined"** refers to patients whose mode of exposure to HIV is unknown. This includes patients under investigation; patients who died, were lost to follow-up, or refused interview; and patients whose mode of exposure to HIV remains undetermined after investigation.

⁴ Total fluctuates as HIV infections become AIDS cases.

Percentages may not equal 100 because of rounding. All data is provisional.

DATA SOURCE:
UTAH DEPARTMENT OF HEALTH
BUREAU OF COMMUNICABLE DISEASE CONTROL
BOX 142105
SALT LAKE CITY, UT 84114-2105